

4444 Centerville Rd., Suite 120, White Bear Lake, MN 55127

Safety Data Sheet

Section 1—Product Information & Company Identification

Primary Products Company
4444 Centerville Rd, Suite 120
White Bear Lake, MN 55127

Telephone Number: 866-305-8540

Product Name: Soft Shield Nitrile Examination Gloves, Powder Free, Non-Sterile

Product Number: 240-45 X-Small, 241-45 Small, 242-45 Medium, 243-45 Large, 244-45 Extra Large

Intended Use: The glove is a disposable device made of Butadiene Acrylonitrile Polymer Latex and is intended to be worn on the hand for medical purposes (as a non-invasive, non-active, single use product for conducting medical examination and diagnostic procedures), to provide an effective barrier against potentially infectious materials. These gloves may be used for industrial applications and have been tested and certified for use with food. They can be used for handling some chemicals and contaminated, but not hazardous, materials. If you have questions about whether this product is suitable for your intended use, please refer to OSHA’s Guidelines or The Center for Disease Control Guidelines for appropriate glove applications.

Section 2—Hazardous Ingredients/Identity Information

This product is not considered to be, or to contain, hazardous ingredients based on evaluations made by our company under the OSHA Hazard Communication Standard, 29 CFR or OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Section 3 – Composition/Information on Ingredients

Material	Chemical Name	Part by Weight	CAS No.
Base Material	Carboxylate Butadiene Acrylonitrile Polymer Latex	91.0 – 97.0	Mixture-N/A
pH Adjuster	Ammonia and Potassium Hydroxide	0.10 – 2.00	1336-21-6, 1310-58-3
Dispersing Agent	Sodium beta-Naphthalene sulfonic acid formaldehyde condensate	0.10 – 0.50	9084-06-04
Wetting Agent	Alcohol alkoxyolate	0.01 – 0.20	88888-02-04
Activator	Zinc Oxide	0.50 – 2.00	1314-13-12
Rubber Accelerator	Dithiocarbamate Group (ZDEC,ZDBC)	0.10 – 1.00	14324-55-1
Vulcanising Agent	Sulphur	0.50 – 2.00	7704-34-9
White Pigment	Titanium Dioxide	<3.50	13463-67-7
Blue Pigment	C.I. Pigment Blue 15:1 in aqueous dispersion	<0.25phr	147-14-8

Section 4— Emergency and First Aid Measures

Do not reuse gloves. Good quality exam gloves provide an excellent barrier. They are not intended for use as a chemical barrier. If Skin Rash or other allergic reaction occurs, discontinue use immediately and consult with a physician.

Section 5—Fire and Explosion Hazard Data

Stability:	Stable
Extinguishing Media:	CO2, Water, Foam and Dry Powder
Conditions to Avoid:	Extreme heat (Decomposition at 900 Degrees C)
Unusual Fire and Explosion Hazard	None known

