

Revision date: 26-Aug-2015 Version: 3.1 Page 1 of 11

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Anbesol Maximum Strength Gel

Trade Name: ANBESOL
Compound Number: WH-0700-0002
Chemical Family: Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Consumer healthcare product used as anesthetic agent

Details of the Supplier of the Safety Data Sheet

Pfizer Inc
1 Giralda Farms
Ramsgate Road
Madison, NJ 07940
Sandwich, Kent
CT13 9NJ
United Kingdom

+00 44 (0)1304 616161
Emergency telephone number: Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: pfizer-MSDS@pfizer.com

Contact E-Mail: pfizer-MSDS@pfizer.com

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture GHS - Classification

Skin Corrosion/Irritation: Category 2 Skin Sensitization: Category 1

Label Elements

Signal Word: Warning

Hazard Statements: H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

Precautionary Statements: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+ P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/container in accordance with all local and national regulations

International CHEMTREC (24 hours): +1-703-527-3887

Material Name: Anbesol Maximum Strength Gel

Revision date: 26-Aug-2015 Version: 3.1



Other Hazards Note:

No data available

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

Page 2 of 11

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS	GHS Classification	%
		List		
Polyethylene glycol	25322-68-3	Not Listed	Not Listed	*
Glycerin, USP	56-81-5	200-289-5	Not Listed	*
Benzocaine	94-09-7	202-303-5	Skin Irrit. 2 (H315)	20.0
			Skin Sens. 1 (H317)	
Propylene glycol	57-55-6	200-338-0	Not Listed	*
Benzyl Alcohol	100-51-6	202-859-9	Acute Tox.4 (H302)	<1.0
			Acute Tox.4 (H332)	

Ingredient	CAS Number	EU	GHS Classification	%
		EINECS/ELINCS		
		List		
Flavor	NOT ASSIGNED	Not Listed	Not Listed	*
Carbomer	9003-01-4	Not Listed	Not Listed	*
Saccharin	81-07-2	201-321-0	Not Listed	*
Methylparaben	99-76-3	202-785-7	Not Listed	*
D & C yellow No. 10	8004-92-0	Not Listed	Not Listed	*
FD & C Red No. 40	25956-17-6	247-368-0	Not Listed	*
FD & C Blue No. 1	3844-45-9	223-339-8	Not Listed	*
Polysorbate 80	9005-65-6	Not Listed	Not Listed	*

Additional Information:

* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has

been withheld as a trade secret.

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Material Name: Anbesol Maximum Strength Gel Page 3 of 11 Revision date: 26-Aug-2015 Version: 3.1

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician:

5. FIRE FIGHTING MEASURES

Extinguish fires with CO2, extinguishing powder, foam, or water. **Extinguishing Media:**

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire.

Products:

Fine particles (such as dust and mists) may fuel fires/explosions. Fire / Explosion Hazards:

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus,

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill Measures for Cleaning /

Collecting: area thoroughly.

Additional Consideration for Non-essential personnel should be evacuated from affected area. Report emergency

Large Spills: situations immediately. Clean up operations should only be undertaken by trained personnel.

HANDLING AND STORAGE

Precautions for Safe Handling

Minimize generating airborne mists and vapors. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Store as directed by product packaging. Storage Conditions:

Specific end use(s): Consumer healthcare product used as anesthetic agent

Material Name: Anbesol Maximum Strength Gel Page 4 of 11

Revision date: 26-Aug-2015 Version: 3.1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Polyethylene glycol

 Austria OEL - MAKs
 1000 mg/m³

 Germany - TRGS 900 - TWAs
 1000 mg/m³

Germany (DFG) - MAK 1000 mg/m³ average molecular weight 200-600

Slovakia OEL - TWA 1000 mg/m³
Slovenia OEL - TWA 1000 mg/m³
Switzerland OEL - TWAs 1000 ppm

Glycerin, USP

Australia TWA 10 mg/m³ **Belgium OEL - TWA** 10 mg/m³ 10 mg/m³ Czech Republic OEL - TWA 10 mg/m³ Estonia OEL - TWA **Finland OEL - TWA** 20 mg/m³ 10 mg/m³ France OEL - TWA Germany (DFG) - MAK 50 mg/m³ **Greece OEL - TWA** 10 mg/m³ Ireland OEL - TWAs 10 mg/m³ **OSHA - Final PELS - TWAs:** 15 mg/m³ **Poland OEL - TWA** 10 ma/m³ 10 mg/m³ Portugal OEL - TWA Spain OEL - TWA 10 mg/m³ **Switzerland OEL -TWAs** 50 mg/m³

Benzocaine

Pfizer OEL TWA-8 Hr: 500µg/m³, Sensitizer, Skin

Propylene glycol

Australia TWA 150 ppm

474 mg/m³ 10 mg/m³

Ireland OEL - TWAs 150 ppm 470 mg/n

470 mg/m³ 10 mg/m³

240 mg/m³

Latvia OEL - TWA7 mg/m³Lithuania OEL - TWA7 mg/m³

Carbomer

Switzerland OEL -TWAs 0.05 mg/m³

Benzyl Alcohol

Poland OEL - TWA

 Bulgaria OEL - TWA
 5.0 mg/m³

 Czech Republic OEL - TWA
 40 mg/m³

 Finland OEL - TWA
 10 ppm

 Latvia OEL - TWA
 5 mg/m³

 Lithuania OEL - TWA
 5 mg/m³

Material Name: Anbesol Maximum Strength Gel Page 5 of 11 Revision date: 26-Aug-2015 Version: 3.1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Personal Protective

Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE). **Equipment:**

Impervious gloves are recommended if skin contact with drug product is possible and for bulk Hands:

processing operations.

Wear safety glasses or goggles if eye contact is possible. Eyes:

Impervious protective clothing is recommended if skin contact with drug product is possible and Skin:

for bulk processing operations.

If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate Respiratory protection:

respirator with a protection factor sufficient to control exposures to below the OEL.

Molecular Weight:

Mixture

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Gel Clear Reddish brown Color: **Odor Threshold:** Odor: No data available. No data available.

Molecular Formula: Mixture

No data available **Solvent Solubility:** Water Solubility: No data available pH: No data available. Melting/Freezing Point (°C): No data available **Boiling Point (°C):** No data available.

Partition Coefficient: (Method, pH, Endpoint, Value)

Benzocaine No data available Methylparaben No data available Saccharin

No data available

FD & C Blue No. 1 No data available

FD & C Red No. 40

No data available Benzyl Alcohol

No data available

Glycerin, USP

No data available

Polyethylene glycol No data available

Propylene glycol No data available

D & C yellow No. 10

No data available Carbomer

No data available

Flavor

No data available

Polysorbate 80

No data available

Material Name: Anbesol Maximum Strength Gel Page 6 of 11
Revision date: 26-Aug-2015 Version: 3.1

9. PHYSICAL AND CHEMICAL PROPERTIES

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s):

Vapor Pressure (kPa):

Vapor Density (g/ml):

Relative Density:

No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

No data available
No data available
No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. **Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: The information included in this section describes the potential hazards of the individual

ingredients.

Short Term: Topical anesthetic drug: may cause localized numbness

Known Clinical Effects: Individuals sensitive to this material or other materials in its chemical class may develop

allergic reactions.

Acute Toxicity: (Species, Route, End Point, Dose)

Benzocaine

Rat Oral LD 50 3042 mg/kg Mouse Oral LD 50 2500mg/kg

Mouse Intraperitoneal LD 50 216mg/kg

Benzyl Alcohol

Rat Oral LD50 1230 mg/kg Rat Para-periosteal LD50 53mg/kg Rat Inhalation LC50 >4.178mg/L

Glycerin, USP

Mouse Oral LD50 4090 mg/kg Rat Oral LD50 12.6 g/kg

Rabbit Dermal LD50 > 10 g/kg

Material Name: Anbesol Maximum Strength Gel Page 7 of 11 Revision date: 26-Aug-2015 Version: 3.1

11. TOXICOLOGICAL INFORMATION

Inhalation LC50 1hr > 570 mg/m³

Dermal LD 50 > 21.9 g/kg

Propylene glycol

Rat Oral LD 50 22,000 mg/kg Mouse Oral LD 50 24,900mg/kg Rabbit Dermal LD 50 20,800mg/kg

D & C yellow No. 10

Rat Oral LD50 2000 mg/kg

Polysorbate 80

Oral LD50 25 g/kg

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable **Acute Toxicity Comments:**

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Benzyl Alcohol

Eye Irritation Rabbit Severe Skin Irritation Rabbit Minimal Skin Irritation Guinea Pig Moderate

Glycerin, USP

Eye Irritation Rabbit Mild

Polyethylene glycol

Eye Irritation Rabbit Mild Skin Irritation Rabbit Mild

Propylene glycol

Skin Irritation Rabbit Mild Eye Irritation Rabbit Mild

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Saccharin

Group 3 (Not Classifiable) IARC:

FD & C Blue No. 1

IARC: Group 3 (Not Classifiable)

Carbomer

IARC: Group 3 (Not Classifiable)

Page 8 of 11

Material Name: Anbesol Maximum Strength Gel

Revision date: 26-Aug-2015 Version: 3.1

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties have not been investigated.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Benzocaine

Pimephales promelas (Fathead Minnow) LC50 96 Hours 35.4 mg/L

Benzyl Alcohol

Pimephales promelas (Fathead Minnow) EPA LC50 96 Hours 460 mg/L

Daphnia magna (Water Flea) OECD EC50 48 Hours 230 mg/L

Pseudokirchneriella subcapitata (Green Alga) OECD EC50 72 Hours 500 mg/L

Glycerin, USP

Oncorhynchus mykiss (Rainbow Trout) LD50 96 Hours 50 mg/L

Daphnia magna (Water Flea) EC50 24 Hours >500 mg/L

Chronic Aquatic Toxicity: (Species, Method, Duration, Endpoint, Result, Adverse Endpoint)

Benzyl Alcohol

Daphnia magna (Water Flea) OECD 21 Day(s) EC50 66 mg/L Reproduction

Persistence and Degradability:

Biodegradation: (Method, Inoculum, Biodeg Study, Result, Endpoint, Duration, Classification)

Benzyl Alcohol

OECD Activated sludge Ready 92% After 14 Day(s) Ready

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Material Name: Anbesol Maximum Strength Gel Page 9 of 11
Revision date: 26-Aug-2015 Version: 3.1

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Polyethylene glycol

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling

Not Listed

Not Listed

Present

Present

Schedule 3

for Drugs and Poisons:

EU EINECS/ELINCS List Not Listed

Glycerin, USP

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

Present

REACH - Annex V - Exemptions from the

obligations of Register:

Present if not chemically modified, except they meet the criteria for classification as dangerous according to Directive 67/548/EEC, except those only classified as flammable [R10], as a skin irritant [R38] or as an eye irritant [R36], except they are persistent, bioaccumulative, and toxic or very persistent and very

bioaccumulative in accordance with the criteria set out in Annex XIII, except they were identified in accordance with Article 59[1] at

least two years previously as substances giving rise to an

equivalent level of concern

EU EINECS/ELINCS List 200-289-5

Benzocaine

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling
for Drugs and Poisons:

EU EINECS/ELINCS List

Not Listed

Schedule 2

Present

Schedule 2

Schedule 4

EU 202-303-5

Propylene glycol

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not

Flavor

CERCLA/SARA 313 Emission reporting Not Listed

Material Name: Anbesol Maximum Strength Gel Page 10 of 11
Revision date: 26-Aug-2015 Version: 3.1

15. REGULATORY INFORMATION	
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Carbomer	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	
EU EINECS/ELINCS LIST	Not Listed
Donnyd Alachal	
Benzyl Alcohol	Night Season
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	202-859-9
Saccharin	
CERCLA/SARA 313 Emission reporting	1.0 %
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	201-321-0
EU LINEUO/LLINUU LISI	201 021 0
Methylparaben	
CERCLA/SARA 313 Emission reporting	Not Listed
· · · · · · · · · · · · · · · · · · ·	Not Listed
California Proposition 65	
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	202-785-7
D & C yellow No. 10	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed
FD & C Red No. 40	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	247-368-0
FD & C Blue No. 1	
	Not Listed
CERCLA/SARA 313 Emission reporting	
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	223-339-8

D70400F

Material Name: Anbesol Maximum Strength Gel Page 11 of 11
Revision date: 26-Aug-2015 Version: 3.1

voicion date. 20 Adg 2010

15. REGULATORY INFORMATION

Polysorbate 80

Prepared by:

information at this time.

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

16. OTHER INFORMATION

Text of CLP/GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed Acute toxicity, inhalation-Cat.4; H332 - Harmful if inhaled

Serious eye damage/eye irritation-Cat.2A; H315 - Causes skin irritation Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction

Data Sources: Publicly available toxicity information. Pfizer proprietary drug development information. Safety

data sheets for individual ingredients.

Reasons for Revision: Updated Section 3 - Composition / Information on Ingredients. Updated Section 2 - Hazard

Identification. Updated Section 16 - Other Information.

Revision date: 26-Aug-2015

Product Stewardship Hazard Communication
Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known

End of Safety Data Sheet