

SAFETY DATA SHEET



1. Product and Company Identification

Product identifier Sani-Cloth Plus Germicidal Disposable Cloth SDS0002-00

Other means of identification Not available Recommended use Disinfectant

Recommended restrictionsFor Professional and Hospital Use
Not for use on skin Not a baby wipe.

Defend the control of the control of

Manufacturer Professional Disposables International,Inc.

Two Nice-Pak Park, Orangeburg, NY 10962-1376

or Distributed By:

Professional Disposables International, LTD

Vaughan, Ontario L4L 4K9 Canada

Phone: (USA) 1-845-365-1700 (M-F 9am - 5pm)

Phone: (CANADA) 1-800-263-7067 Emergency Phone: 1-800-999-6423

2. Hazards Identification

Physical hazardsFlammable solidsCategory 1Health hazardsSerious eye damage/eye irritationCategory 2B

Environmental hazards Not determined.

OSHA defined hazards None additional.

Label elements



Signal word Danger

Hazard statement Flammable solid. Causes eye irritation.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wash thoroughly after

handling.

Response If in eyes: Rinse cautiously with water for 15 - 20 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

In case of fire: Use appropriate media to extinguish.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/Information on Ingredients

Mixture			
Chemical name	Common name and synonyms	CAS number	%
Isopropanol		67-63-0	14.85
Benzyl-C12-18-alkyldimethyl ammonium chlorides		68391-01-5	0.125
Quaternary ammonium compounds, C12-18-alkyl [(ethylphenyl) methyl]		68956-79-6	0.125

dimethyl, chlorides

Composition comments

Composition shown on this Safety Data Sheet may contain information additional to that on the

product label. This is due to different label requirements in different countries.

4. First Aid Measures

InhalationNot a normal route of exposure. If inhaled, remove to fresh air. Get medical attention if symptoms develop.

#15551 Page: 1 of 9 Issue date 13-March-2015

Skin contact If irritation develops, get medical attention.

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if Eye contact

present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor

for treatment advice.

Treat patient symptomatically.

Ingestion Not a likely route of exposure. If ingestion does occur, call a poison control center or doctor for

treatment advice.

Most important

symptoms/effects, acute and

delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special

treatment needed

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Avoid contact with eyes.

5. Fire Fighting Measures

Water. Water Fog. Dry chemical powder. Carbon dioxide (CO2).

Suitable extinguishing media

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters During fire, gases hazardous to health may be formed.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Structural firefighters protective clothing will only provide limited protection.

Fire-fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. In the event of fire, cool product with water spray. Move product from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. Move products from fire area if you can do so without risk. In the event of fire and/or explosion do not

breathe fumes.

General fire hazards

Hazardous combustion

products

Flammable solid. May include and are not limited to: Oxides of nitrogen. Oxides of carbon. Chloride compounds

Explosion data

Sensitivity to mechanical

impact

Sensitivity to static

discharge

Not available.

Not available.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up.

For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Pick up and discard towelette. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and Storage

Precautions for safe handling

Do not use or store near heat or open flame. Use according to package label instructions.

Use good industrial hygiene practices in handling this material.

Wear appropriate personal protective equipment.

Wash thoroughly after handling. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities Do not contaminate water, food or feed by storage and disposal.

When not in use keep center cap of lid closed to prevent moisture loss.

Keep out of reach of children.

Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value Components **Type**

PEL Isopropanol (CAS 67-63-0) 980 mg/m3

#15551 Page: 2 of 9 Issue date 13-March-2015

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
		400 ppm	
US. ACGIH Threshold Limit Values	S		
Components	Туре	Value	
Isopropanol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	
Isopropanol (CAS 67-63-0)	STEL	1225 mg/m3	
		500 ppm	
	TWA	980 mg/m3	
		400 ppm	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Isopropanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

^{* -} For sampling details, please see the source document.

Exposure guidelines Chemicals listed in section 3 that are not listed here do not have established limit values for

ACGIH or OSHA PEL.

Appropriate engineering

controls

Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Not needed under normal use conditions.

Follow label directions carefully.

Wear gear as needed.

Skin protection

Hand protection Not usually needed.

Follow label directions carefully.

Other Follow label directions carefully.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Thermal hazards

Not available.

General hygiene considerations

Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice. When using do not smoke. When using do not eat or

drink.

White

9. Physical and Chemical Properties

Appearance Liquid saturated on wipe

Physical state Solid.

Form Pre-moistened towelette.

Odor Mild alcohol.
Odor threshold Not available.
pH 11 - 12 (liquid)
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Color

Pour point Not available.

Specific gravity 0.97 (liquid) (H2O = 1)

Partition coefficient (n-octanol/water)

Not available.

Flash point 95.0 °F (35.0 °C) Tag Closed Cup (Liquid)

Evaporation rate Not available.

Flammability (solid, gas) Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies) Towel is not soluble in water

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Flash point class Flammable IC

10. Stability and Reactivity

Reactivity Do not mix with incompatible materials.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Contact with incompatible materials.

Do not mix with other chemicals.

Avoid high temperatures.

Heat, flames and sparks.

Incompatible materials Do not use on natural marble, windows, unpainted wood or brass, clear plastic or colored grout.

Oxidizing agents. Acids. Anionic surfactants. Soaps. Bleach solutions.

Hazardous decomposition

products

May include and are not limited to: Chloride compounds Hydrogen chloride. Oxides of nitrogen.

Oxides of carbon.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Information on likely routes of exposure

IngestionHealth injuries are not known or expected under normal use.InhalationHealth injuries are not known or expected under normal use.

Skin contact Non-irritating based on test data.

Eye contact Mildly irritating to eyes based on test data.

Symptoms related to the physical, chemical and toxicological characteristics

Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity

Product Species Test Results

Sani-Cloth Plus Germicidal Disposable Cloth

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, Based on OPPTS Test data

Inhalation

LC50 Rat > 2 mg/l/4h, Based on OPPTS Test data

Oral

LD50 Rat > 5000 mg/kg, Based on OPPTS Test data

Components Species Test Results

Benzyl-C12-18-alkyldimethyl ammonium chlorides (CAS 68391-01-5)

Acute

Dermal

LD50 Rat 2000 mg/kg

1420 mg/kg

Inhalation

LC50 Not available

Oral

LD50 Mouse 150 mg/kg

Rat 240 mg/kg

Isopropanol (CAS 67-63-0)

Acute

Dermal

LD50 Rabbit 12800 mg/kg

Inhalation

LC50 Rat 16970 mg/l/4h

Oral

LD50 Dog 4797 mg/kg

 Mouse
 3600 mg/kg

 Rabbit
 5030 mg/kg

 Rat
 4396 mg/kg

Quaternary ammonium compounds, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, chlorides (CAS 68956-79-6)

Acute

Dermal

LD50 Not available

Inhalation

LC50 Not available

Oral

LD50 Rat 250 mg/kg

Skin corrosion/irritationNon-irritating based on test data. Toxicity Category IV according to the OPPTS 870.2500 Acute

Skin Irritation Study. Classified based on OPP/GHS Classification Criteria and Labeling

Comparison.

Exposure minutes Not available.

Erythema value Not available.

Oedema value Not available.

Serious eye damage/eye

irritation

Causes eye irritation. Toxicity Category III according to the OPPTS 870.2500 Acute Eye Irritation

Study. Classified based on OPP/GHS Classification Criteria and Labeling Comparison.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization
Not a skin sensitizer based on test data.

Germ cell mutagenicity
Non-hazardous by WHMIS/OSHA criteria.

Mutagenicity
Non-hazardous by WHMIS/OSHA criteria.

Carcinogenicity
Non-hazardous by WHMIS/OSHA criteria.

Reproductive toxicity
Non-hazardous by WHMIS/OSHA criteria.

Teratogenicity
Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not classified.

Chronic effects

Non-hazardous by WHMIS/OSHA criteria.

Further information
Name of Toxicologically
Synergistic Products

Not available.

Not available.

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental concerns. See

below

Components Species Test Results

Isopropanol (CAS 67-63-0)

 Algae
 IC50
 Algae
 1000 mg/L, 72 Hours

 Crustacea
 EC50
 Daphnia
 13299 mg/L, 48 Hours

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) > 1400 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Dispose of used towelette in accordance with local regulations for infectious waste disposal. Follow container label directions carefully. Do not reuse towelette. Dispose of used towelette in trash. Do not flush in toilet. Nonrefillable container. Do not resue or refill this container. Triple

rinse and offer for recycling. If recycling is not available, put in trash collection.

Local disposal regulations

Hazardous waste code

Dispose in accordance with all applicable regulations. Assign as required.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN3175

Proper shipping name Solids containing flammable liquid, n.o.s. (Isopropanol)

Hazard class 4.1
Packing group

Packaging exceptions <1kg - limited quantity (par. 173.151)

Transportation of Dangerous Goods (TDG - Canada)


Basic shipping requirements:

UN number UN3175

Proper shipping name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol)

Hazard class 4.1 Packing group

Packaging exceptions <1kg limited quantity



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Isopropanol (CAS 67-63-0) 1 TONNES

Canada WHMIS Ingredient Disclosure: Threshold limits

Isopropanol (CAS 67-63-0) 1 %

WHMIS classification Exempt - Registered product - (DIN 02242608)

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US federal regulations**

Standard, 29 CFR 1910.1200.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

PRECAUTIONARY STATEMENTS:

Hazards to humans and Domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes and clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet.

EPA Reg. # 9480-6

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

Isopropanol (CAS 67-63-0)

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Isopropanol (CAS 67-63-0)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Isopropanol (CAS 67-63-0) Listed. US CAA Section 111 Volatile Organic Compounds: Listed substance

Isopropanol (CAS 67-63-0) Listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No

Reactivity Hazard - No

Immediate Hazard - Yes

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous

Nο

chemical

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. Isopropanol 67-63-0 14.85

Other federal regulations

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Not regulated. **Administration (FDA)**

US state regulations This product is not subject to warning labeling under the California Proposition 65 regulation. US - California Hazardous Substances (Director's): Listed substance

Isopropanol (CAS 67-63-0)

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

US - Illinois Chemical Safety Act: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - Louisiana Spill Reporting: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - Minnesota Haz Subs: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - New Jersey RTK - Substances: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - Texas Effects Screening Levels: Listed substance

Benzyl-C12-18-alkyldimethyl ammonium chlorides Listed.

(CAS 68391-01-5)

Isopropanol (CAS 67-63-0) Listed

US. Massachusetts RTK - Substance List

Isopropanol (CAS 67-63-0) Listed.

US. Pennsylvania RTK - Hazardous Substances

Listed. Isopropanol (CAS 67-63-0)

US. Rhode Island RTK

Isopropanol (CAS 67-63-0) Listed.

Inventory status


Country(s) or region	Inventory name O	n inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
** ">(" ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 13-March-2015 15-March-2015 Effective date 15-March-2018 **Expiry date**

Further information

For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the first page of the document.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on skin. Not a baby wipe. For use on hard surfaces only.

Do not use on natural marble, windows, unpainted wood, brass, clear plastic or coloured grout.

Revision 0.

Bulk Liquid # 4BQ89001.

Prepared by Other information

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).

This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.